

CONSTRUCTION, CONTRACTOR AND RENTAL PRODUCTS



ORLANDO

4105 Seaboard Rd.
Orlando, FL 32808
(407) 843-8190
(800) 506-5514
Fax: (407) 422-5577

SOUTH ORLANDO

9961 Sidney Hayes Rd.
Orlando, FL 32824
(407) 843-8190
(800) 506-5514
Fax: (407) 422-5577

TAMPA

1103 N. 50th St.
Tampa, FL 33619
(813) 223-7554
(800) 664-9490
Fax: (813) 223-7567

MIAMI

1001 N.W. 159th Dr.
Miami Gardens, FL 33169
(305) 620-4313
(800) 731-0025
Fax: (305) 356-7308

OrlandoSales@AmazonHose.com

OrlandoHSCSales@AmazonHose.com

TampaSales@AmazonHose.com

MiamiSales@AmazonHose.com

TABLE OF CONTENTS

PUMP HOSE KITS.....	1
BULK HOSE.....	1
GREEN PVC SUCTION HOSE ASSEMBLIES.....	2
KANALINE STYLE FABRIC REINFORCED SUCTION HOSE.....	3
CONTINENTAL RUBBER WATER SUCTION HOSE ASSEMBLIES.....	3
BLUE PVC DISCHARGE HOSE ASSEMBLIES.....	4
RED PVC DISCHARGE HOSE ASSEMBLIES.....	4
NITRILE/PVC DISCHARGE HOSE ASSEMBLIES.....	5
SINGLE JACKET MILL HOSE (FIRE HOSE) ASSEMBLIES.....	5
ALUMINUM BULK CAM & GROOVE FITTINGS.....	6-7
BAUER STYLE BALL AND SOCKET FITTINGS.....	8
ACCESSORIES.....	9
WORM GEAR CLAMPS.....	10
SNAPLOCK QUICK RELEASE CLAMPS.....	10
T-BOLT CLAMPS.....	10
CENTER PUNCH CLAMPS.....	11
J-SERIES OR JR. CLAMPS.....	11
ULTRA LOK® CLAMPS.....	11
BAND AND BUCKLE.....	11
CONTINENTAL ALLCRETE TEXTILE CONCRETE PUMP HOSE ASSEMBLIES.....	12
CONTINENTAL PGC TEXTILE CONCRETE PUMP HOSE ASSEMBLIES.....	12
WIRE-REINFORCED CONCRETE PUMP HOSE ASSEMBLIES.....	12
CONTINENTAL HYDRAULIC HOSE.....	13
HOSE ENDS, COUPLINGS AND ADAPTERS.....	13
HYDRAULIC ACCESSORIES.....	13
CONTINENTAL AIR HOSE ASSEMBLIES AND KING COUPLINGS.....	14
WIRE-BRAID AIR HOSE, HOSE ENDS AND ACCESSORIES.....	15
PRESSURE WASHER WASHDOWN HOSE ASSEMBLIES.....	16

PUMP HOSE KITS

HOSE KIT 1

Pump Hose Kit Female Camlock x Male Pipe Threaded Suction Hose

KIT INCLUDES:

- One 20 FT. Green PVC Suction Hose with Crimped Female Camlock and Male Pipe Threaded ends
- One 50 FT. Blue Discharge hose with Male and Female Camlocks
- Two Male Camlock Adapters
- One Strainer

SIZE	PART #
1-1/2"	HPK1 - 15
2"	HPK1 - 20
3"	HPK1 - 30
4"	HPK1 - 40
6"	HPK1 - 60



HOSE KIT 2

Pump Hose Kit Female x Male Pipe Threaded Suction Hose

KIT INCLUDES:

- One 20 FT. Green PVC Suction Hose with Male and Female Pipe Threaded couplings
- One 50 FT. Blue PVC Discharge Hose with Male and Female Camlocks
- One Male Camlock Adapter
- One Strainer

SIZE	PART #
1-1/2"	HPK2 - 15
2"	HPK2 - 20
3"	HPK2 - 30
4"	HPK2 - 40
6"	HPK2 - 60




BULK HOSE

GREEN PVC SUCTION HOSE		PART #
1-1/2"	100 FT. ROLLS	HWPS1H
2"	100 FT. ROLLS	HWPS2
3"	100 FT. ROLLS	HWPS3
4"	100 FT. ROLLS	HWPS4
6"	20 FT. STICKS	HWPS6
6"	100 FT. ROLLS	HWPS6
8"	20 FT. STICKS	HWPS8



CLEAR x WHITE PVC SUCTION HOSE		PART #
1-1/2"	100 FT. ROLLS	HWPSC1H
2"	100 FT. ROLLS	HWPSC2



*** Call for additional sizes.**

BLUE PVC DISCHARGE HOSE		WORKING PRESURE RATINGS	PART #
1-1/2"	300 FT. ROLLS	80 PSI	HWPB1H
2"	300 FT. ROLLS	80 PSI	HWPB2
3"	300 FT. ROLLS	80 PSI	HWPB3
4"	300 FT. ROLLS	70 PSI	HWPB4
6"	300 FT. ROLLS	60 PSI	HWPB6
8"	300 FT. ROLLS	35 PSI	HWPB8




RED PVC DISCHARGE HOSE		WORKING PRESURE RATINGS	PART #
2"	300 FT. ROLLS	150 PSI	JIWDR200
3"	300 FT. ROLLS	125 PSI	JIWDR300
4"	300 FT. ROLLS	100 PSI	JIWDR400
6"	300 FT. ROLLS	82 PSI	JIWDR600
8"	300 FT. ROLLS	70 PSI	JIWDR800



GREEN PVC SUCTION HOSE ASSEMBLIES

GREEN PVC SUCTION WITH CRIMPED FEMALE CAMLOCK x MALE PIPE THREADED			PART #
1-1/2"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	CWS.1520CKN
2"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	CWS.220CKN
3"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	CWS.320CKN
4"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	CWS.420CKN
6"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	CWS.620CKN



GREEN PVC SUCTION WITH CRIMPED MALE x FEMALE CAMLOCKS			PART #
1-1/2"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.1520CE
2"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.220CE
3"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.320CE
4"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.420CE
6"	x 10 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.610CE
6"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	CWS.620CE



GREEN PVC SUCTION WITH BANDED FEMALE x MALE PIPE THREADED			PART #
1-1/2"	x 20 FT.	INCLUDES BANDED MALE & FEMALE THREADED COUPLINGS	WS.1520WC
2"	x 20 FT.	INCLUDES BANDED MALE & FEMALE THREADED COUPLINGS	WS.220WC
3"	x 20 FT.	INCLUDES BANDED MALE & FEMALE THREADED COUPLINGS	WS.320WC
4"	x 20 FT.	INCLUDES BANDED MALE & FEMALE THREADED COUPLINGS	WS.420WC
6"	x 20 FT.	INCLUDES BANDED MALE & FEMALE THREADED COUPLINGS	WS.620WC



KANALINE STYLE FABRIC REINFORCED SUCTION HOSE

CLEAR WITH ORANGE HELIX WITH CRIMPED MALE x FEMALE BAUER STYLE FITTINGS			PART #
3"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.320BF
4"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.420BF
6"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.620BF
8"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.820BF



CLEAR WITH ORANGE HELIX WITH CRIMPED MALE x FEMALE CAMLOCKS			PART #
3"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.320CE
4"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.420CE
6"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.620CE
8"	x 20 FT.	SUCTION SERVICE ONLY	CWSC.820CE



CONTINENTAL RUBBER WATER SUCTION HOSE ASSEMBLIES

RUBBER WATER SUCTION WITH FEMALE CAMLOCK x MALE PIPE THREADED			WORKING PRESSURE RATINGS	PART #
2"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	150 PSI	CWSR.220CKN
3"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	150 PSI	CWSR.320CKN
4"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	150 PSI	CWSR.420CKN
6"	x 20 FT.	INCLUDES CRIMPED FEMALE CAMLOCK & KING NIPPLE	75 PSI	CWSR.620CKN



RUBBER WATER SUCTION WITH MALE x FEMALE CAMLOCKS			WORKING PRESSURE	PART #
2"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	150 PSI	CWSR.220CE
3"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	150 PSI	CWSR.320CE
4"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	150 PSI	CWSR.420CE
6"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE CAMLOCKS	75 PSI	CWSR.620CE



RUBBER WATER SUCTION WITH MALE x FEMALE BAUER STYLE FITTINGS			WORKING PRESSURE RATINGS	PART #
3"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	150 PSI	CWSR.320BF
4"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	150 PSI	CWSR.420BF
6"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	75 PSI	CWSR.620BF
8"	x 20 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	75 PSI	CWSR.820BF



BLUE PVC DISCHARGE HOSE ASSEMBLIES

BLUE PVC DISCHARGE WITH BANDED FEMALE x MALE PIPE THREADED			WORKING PRESSURE RATINGS	PART #
1-1/2"	x 50 FT.	INCLUDES MALE & FEMALE	75 PSI at 70° F	WD.1550WC
2"	x 50 FT.	INCLUDES MALE & FEMALE THREADED COUPLINGS	75 PSI at 70° F	WD.250WC
3"	x 50 FT.	INCLUDES MALE & FEMALE	50 PSI at 70° F	WD.350WC
4"	x 50 FT.	INCLUDES MALE & FEMALE	50 PSI at 70° F	WD.450WC
6"	x 50 FT.	INCLUDES MALE & FEMALE	25 PSI at 70° F	WD.650WC



BLUE PVC DISCHARGE WITH BANDED MALE x FEMALE CAMLOCKS			WORKING PRESSURE RATINGS	PART #
1-1/2"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	80 PSI at 70° F	WD.1550CE
2"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	80 PSI at 70° F	WD.250CE
3"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	80 PSI at 70° F	WD.350CE
4"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	70 PSI at 70° F	WD.450CE
6"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	60 PSI at 70° F	WD.650CE



RED PVC DISCHARGE HOSE ASSEMBLIES

RED PVC DISCHARGE WITH BANDED FEMALE x MALE PIPE THREADED			WORKING PRESSURE RATINGS	PART #
2"	x 50 FT.	MALE & FEMALE THREADED COUPLINGS	75 PSI at 70° F	WDR.250WC
3"	x 50 FT.	MALE & FEMALE THREADED COUPLINGS	50 PSI at 70° F	WDR.350WC
4"	x 50 FT.	MALE & FEMALE THREADED COUPLINGS	50 PSI at 70° F	WDR.450WC
6"	x 50 FT.	MALE & FEMALE THREADED COUPLINGS	25 PSI at 70° F	WDR.650WC



RED PVC DISCHARGE WITH BANDED MALE x FEMALE CAMLOCKS			WORKING PRESSURE RATINGS	PART #
2"	x 50 FT.	MALE & FEMALE CAMLOCKS	150 PSI at 70° F	WDR.250CE
3"	x 50 FT.	MALE & FEMALE CAMLOCKS	125 PSI at 70° F	WDR.350CE
4"	x 50 FT.	MALE & FEMALE CAMLOCKS	100 PSI at 70° F	WDR.450CE
6"	x 50 FT.	MALE & FEMALE CAMLOCKS	75 PSI at 70° F	WDR.650CE



RED PVC DISCHARGE WITH BANDED MALE x FEMALE BAUER FITTINGS			WORKING PRESSURE RATINGS	PART #
4"	x 50 FT.	MALE & FEMALE BAUER FITTINGS	100 PSI at 70° F	WDR.450BF
6"	x 50 FT.	MALE & FEMALE BAUER FITTINGS	75 PSI at 70° F	WDR.650BF
8"	x 50 FT.	MALE & FEMALE BAUER FITTINGS	50 PSI at 70° F	WDR.850BF



NITRILE/PVC DISCHARGE HOSE ASSEMBLIES

NITRILE/PVC DISCHARGE HOSE* WITH BANDED BAUER STYLE FITTINGS			WORKING PRESSURE	PART #
4"	x 50 FT.	INCLUDES BANDED MALE & FEMALE BAUER STYLE FITTINGS	100 PSI at 70° F	WDB.450BF
6"	x 50 FT.	INCLUDES BANDED MALE & FEMALE BAUER STYLE FITTINGS	75 PSI at 70° F	WDB.650BF
8"	x 50 FT.	INCLUDES BANDED MALE & FEMALE BAUER STYLE FITTINGS	50 PSI at 70° F	WDB.850BF

*** Also available with Cam & Groove Ends.**



NITRILE/PVC DISCHARGE HOSE* WITH CRIMPED BAUER STYLE FITTINGS			WORKING PRESSURE	PART #
4"	x 50 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	150 PSI at 70° F	CWDB.450BF
6"	x 50 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	150 PSI at 70° F	CWDB.650BF
8"	x 50 FT.	INCLUDES CRIMPED MALE & FEMALE BAUER STYLE FITTINGS	125 PSI at 70° F	CWDB.850BF

*** Also available with Cam & Groove Ends.**



SINGLE JACKET MILL HOSE (FIRE HOSE) ASSEMBLIES

MILL DISCHARGE HOSE* WITH BANDED FEMALE x MALE PIPE THREADED			WORKING PRESSURE RATINGS	PART #
1-1/2"	x 50 FT.	INCLUDES MALE & FEMALE THREADED COUPLINGS	75 PSI [^]	WDM.1550WC
2"	x 50 FT.	INCLUDES MALE & FEMALE THREADED COUPLINGS	75 PSI [^]	WDM.250WC

*** Not for fire suppression applications.**

[^] Hose ends reduce the rating to 75 PSI.



MILL DISCHARGE HOSE* WITH BANDED MALE x FEMALE CAMLOCKS			WORKING PRESSURE	PART #
1-1/2"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	150 PSI	WDM.1550CE
2"	x 50 FT.	INCLUDES MALE & FEMALE CAMLOCKS	150 PSI	WDM.250CE

*** Not for fire suppression applications.**



ALUMINUM BULK CAM & GROOVE FITTINGS

ADAPTER x FEMALE NPT*			PART #
PART A	1-1/2"	ADAPTER x FEMALE NPT	A150AL
PART A	2"	ADAPTER x FEMALE NPT	A200AL
PART A	3"	ADAPTER x FEMALE NPT	A300AL
PART A	4"	ADAPTER x FEMALE NPT	A400AL
PART A	6"	ADAPTER x FEMALE NPT	A600AL



COUPLER x MALE NPT*			PART #
PART B	1-1/2"	COUPLER x MALE NPT	B150AL
PART B	2"	COUPLER x MALE NPT	B200AL
PART B	3"	COUPLER x MALE NPT	B300AL
PART B	4"	COUPLER x MALE NPT	B400AL
PART B	6"	COUPLER x MALE NPT	B600AL



COUPLER x HOSE SHANK*			PART #
PART C	1-1/2"	COUPLER x HOSE SHANK	C150AL
PART C	2"	COUPLER x HOSE SHANK	C200AL
PART C	3"	COUPLER x HOSE SHANK	C300AL
PART C	4"	COUPLER x HOSE SHANK	C400AL
PART C	6"	COUPLER x HOSE SHANK	C600AL



COUPLER x FEMALE NPT*			PART #
PART D	1-1/2"	COUPLER x FEMALE NPT	D150AL
PART D	2"	COUPLER x FEMALE NPT	D200AL
PART D	3"	COUPLER x FEMALE NPT	D300AL
PART D	4"	COUPLER x FEMALE NPT	D400AL
PART D	6"	COUPLER x FEMALE NPT	D600AL



*** Call for additional sizes on all Cam & Groove Fittings.**

See clamps, banding material and tools on pages 10-11.

ALUMINUM BULK CAM & GROOVE FITTINGS

ADAPTER x HOSE SHANK*			PART #
PART E	1-1/2"	ADAPTER x HOSE SHANK	E150AL
PART E	2"	ADAPTER x HOSE SHANK	E200AL
PART E	3"	ADAPTER x HOSE SHANK	E300AL
PART E	4"	ADAPTER x HOSE SHANK	E400AL
PART E	6"	ADAPTER x HOSE SHANK	E600AL



ADAPTER x MALE NPT*			PART #
PART F	1-1/2"	ADAPTER x MALE NPT	F150AL
PART F	2"	ADAPTER x MALE NPT	F200AL
PART F	3"	ADAPTER x MALE NPT	F300AL
PART F	4"	ADAPTER x MALE NPT	F400AL
PART F	6"	ADAPTER x MALE NPT	F600AL



DUST CAP*			PART #
PART DC	1-1/2"	DUST CAP	DC150AL
PART DC	2"	DUST CAP	DC200AL
PART DC	3"	DUST CAP	DC300AL
PART DC	4"	DUST CAP	DC400AL
PART DC	6"	DUST CAP	DC600AL



DUST PLUG*			PART #
PART DP	1-1/2"	DUST PLUG	DP150AL
PART DP	2"	DUST PLUG	DP200AL
PART DP	3"	DUST PLUG	DP300AL
PART DP	4"	DUST PLUG	DP400AL
PART DP	6"	DUST PLUG	DP600AL



CAMLOCK GASKETS*			PART #
SIZE	1-1/2"	BUNA GASKETS	G150BU
SIZE	2"	BUNA GASKETS	G200BU
SIZE	3"	BUNA GASKETS	G300BU
SIZE	4"	BUNA GASKETS	G400BU
SIZE	6"	BUNA GASKETS	G600BU



BAUER STYLE BALL AND SOCKET FITTINGS

BAUER STYLE COUPLING SETS		PART #
3"	COUPLING SET—INCLUDES MALE & FEMALE HOSE ENDS, CLAMP RING & RUBBER O-RING	BAUER BS3
4"	COUPLING SET—INCLUDES MALE & FEMALE HOSE ENDS, CLAMP RING & RUBBER O-RING	BAUER BS4
6"	COUPLING SET—INCLUDES MALE & FEMALE HOSE ENDS, CLAMP RING & RUBBER O-RING	BAUER BS6
8"	COUPLING SET—INCLUDES MALE & FEMALE	BAUER BS8



BAUER STYLE COUPLING RUBBER O-RING		PART #
3"	RUBBER O-RING	BAUER S4 3 O-RING
4"	RUBBER O-RING	BAUER S4 4 O-RING
6"	RUBBER O-RING	BAUER S4 6 O-RING
8"	RUBBER O-RING	BAUER S4 8 O-RING



BALL & LEVER x FLANGE



SOCKET x FLANGE



BALL & LEVER x PIPE LONG ADAPTER



BALL & LEVER x PIPE STANDARD ADAPTER



SOCKET x PIPE



DECREASER



INCREASER



90° ELBOW



Y-ADAPTER



BALL & LEVER x SHALLOW STRAINER



PLUG



CAP



LEVER

ACCESSORIES

SUCTION STRAINERS—GALVANIZED STEEL		PART #
1-1/2"	ROUND HOLE STRAINERS	RHS20
2"	ROUND HOLE STRAINERS	RHS25
3"	ROUND HOLE STRAINERS	RHS35
4"	ROUND HOLE STRAINERS	RHS40
6"	ROUND HOLE STRAINERS	RHS60
8"	ROUND HOLE STRAINERS	RHS80



SUCTION STRAINERS—GALVANIZED STEEL		PART #
1-1/2"	LONG STYLE STRAINERS	RSS20
2"	LONG STYLE STRAINERS	RSS25
3"	LONG STYLE STRAINERS	RSS35
4"	LONG STYLE STRAINERS	RSS40
6"	LONG STYLE STRAINERS	RSS60
8"	LONG STYLE STRAINERS	RSS80



SUCTION STRAINERS—GALVANIZED STEEL		PART #
1-1/2"	SQUARE HOLE STRAINERS	SHS20
2"	SQUARE HOLE STRAINERS	SHS25
3"	SQUARE HOLE STRAINERS	SHS35
4"	SQUARE HOLE STRAINERS	SHS40
6"	SQUARE HOLE STRAINERS	SHS60
8"	SQUARE HOLE STRAINERS	SHS80



PUMP DIAPHRAGMS		PART #
3"	RED NATURAL RUBBER DIAPHRAGM FOR MUD HOG PUMP	3RED PUMP
4"	RED NATURAL RUBBER DIAPHRAGM FOR MUD HOG PUMP	4RED PUMP



HEADER SLEEVES		PART #
6-5/8"	HEADER SLEEVE FOR WELLPOINTING	HEADER SLEEVE 6-5/8
8-5/8"	HEADER SLEEVE FOR WELLPOINTING	HEADER SLEEVE 8-5/8



FLANGE GASKET KITS		PART #
4"	INCLUDES GASKET & BOLTS	BKFL4 BOLT KIT
6"	INCLUDES GASKET & BOLTS	BKFL6 BOLT KIT
8"	INCLUDES GASKET & BOLTS	BKFL8 BOLT KIT



WORM GEAR CLAMPS

WORM GEAR CLAMPS* SOLD IN BOX OF 10			WORM GEAR CLAMPS* SOLD IN BOX OF 10		
		PART #			PART #
1/2" to 1-1/16"	SERIES 9/16" HY-GEAR 63-4	6310	1" to 4"	SERIES 9/16" HY-GEAR 63-4	6340
1/2" to 1-1/4"	SERIES 9/16" HY-GEAR 63-4	6312	1-3/4" to 3-3/4"	SERIES 9/16" HY-GEAR 63-4	6352
3/4" to 1-1/2"	SERIES 9/16" HY-GEAR 63-4	6316	2-1/2" to 4-1/2"	SERIES 9/16" HY-GEAR 63-4	6364
3/4" to 1-3/4"	SERIES 9/16" HY-GEAR 63-4	6320	3" to 5"	SERIES 9/16" HY-GEAR 63-4	6372
1" to 2"	SERIES 9/16" HY-GEAR 63-4	6324	3-5/8" to 5-1/2"	SERIES 9/16" HY-GEAR 63-4	6380
1-5/16" to 2-1/4"	SERIES 9/16" HY-GEAR 63-4	6328	4-1/2" to 6"	SERIES 9/16" HY-GEAR 63-4	6388
1-1/2" to 2-1/2"	SERIES 9/16" HY-GEAR 63-4	6332	4-3/4" to 6-1/2"	SERIES 9/16" HY-GEAR 63-4	6396



Material Specifications

Screw: 5/16" Hex Head; 300 stainless.

Band: 9/16"; 300 stainless.

Installation Torque: 35 in-lbs. (4Nm).

*** Call for additional sizes.**

SNAPLOCK QUICK RELEASE CLAMPS

SNAPLOCK QUICK RELEASE CLAMPS*	
OD SIZE	PART #
2-5/16" to 8-1/2"	56128
2" to 10"	56152



Material Specifications

Screw: 5/16" Hex Head; Plated carbon steel.

Housing: 200 stainless.

Bridge: Plated carbon steel.

Band: 9/16"; 200 stainless.

Installation Torque: 30 in-lbs. (3.4Nm).

*** Call for additional sizes.**

T-BOLT CLAMPS

T-BOLT CLAMPS STYLE STBC		T-BOLT CLAMPS STYLE STBC		T-BOLT CLAMPS STYLE STBC	
OD SIZE	PART #	OD SIZE	PART #	OD SIZE	PART #
1.250" to 1.406"	STBC131	2.766" to 3.062"	STBC300	5.516" to 5.812"	STBC575
1.344" to 1.562"	STBC150	2.886" to 3.182"	STBC312	5.766" to 6.062"	STBC600
1.474" to 1.692"	STBC163	3.016" to 3.312"	STBC325	6.016" to 6.312"	STBC625
1.594" to 1.812"	STBC175	3.266" to 3.562"	STBC350	6.266" to 6.562"	STBC650
1.724" to 1.942"	STBC188	3.386" to 3.682"	STBC362	6.516" to 6.812"	STBC675
1.844" to 2.062"	STBC200	3.516" to 3.812"	STBC375	6.766" to 7.062"	STBC700
1.964" to 2.182"	STBC212	3.586" to 3.882"	STBC382	7.266" to 7.562"	STBC750
2.094" to 2.312"	STBC225	3.766" to 4.062"	STBC400	7.766" to 8.062"	STBC800
2.224" to 2.442"	STBC238	4.016" to 4.312"	STBC425	8.016" to 8.312"	STBC825
2.344" to 2.562"	STBC250	4.266" to 4.562"	STBC450	8.266" to 8.562"	STBC850
2.326" to 2.622"	STBC256	4.516" to 4.812"	STBC475	8.646" to 8.942"	STBC888
2.396" to 2.692"	STBC263	4.766" to 5.062"	STBC500	10.646" to 10.942"	STBC1088
2.516" to 2.812"	STBC275	5.016" to 5.312"	STBC525	12.646" to 12.942"	STBC1288
2.646" to 2.942"	STBC288	5.266" to 5.562"	STBC550		



Material Specifications

Bolt: Can be applied with a standard 7/16" socket wrench, 300 stainless.

Band: 3/4" wide, .25" thick, 300 series stainless steel.

Installation Torque: 50 in-lbs.

CENTER PUNCH CLAMPS

SIZE	GALVANIZED PART #	201 STAINLESS PART #	SIZE	GALVANIZED PART #	201 STAINLESS PART #
13/16" ID x 3/8" WIDE	P-3	P-3-S	2-3/4" ID x 5/8" WIDE	P-11	P-11-S
1-3/8" ID x 3/8" WIDE	P-311	P-311-S	3" ID x 5/8" WIDE	P-12	P-12-S
1" ID x 5/8" WIDE	P-4	P-4-S	3-1/2" ID x 5/8" WIDE	P-14	P-14-S
1-1/4" ID x 5/8" WIDE	P-5	P-5-S	4" ID x 5/8" WIDE	P-16	P-16-S
1-1/2" ID x 5/8" WIDE	P-6	P-6-S	4-1/2" ID x 5/8" WIDE	P-18	P-18-S
1-3/4" ID x 5/8" WIDE	P-7	P-7-S	5" ID x 5/8" WIDE	P-20	P-20-S
2" ID x 5/8" WIDE	P-8	P-8-S	6" ID x 5/8" WIDE	P-24	P-24-S
2-1/4" ID x 5/8" WIDE	P-9	P-9-S	7" ID x 5/8" WIDE	P-28	P-28-S
2-1/2" ID x 5/8" WIDE	P-10	P-10-S	8" ID x 5/8" WIDE	P-32	P-32-S
			PUNCH LOK® TOOL	T300-0	



PUNCH LOK® TOOL

J-SERIES OR JR. CLAMPS

SIZE	201 STAINLESS	SIZE	201 STAINLESS PART #
1" ID x 1/2" WIDE	JS203	3-1/2" ID x 3/4" WIDE	JS212
1-1/4" ID x 1/2" WIDE	JS204	4" ID x 3/4" WIDE	JS213
1-1/2" ID x 5/8" WIDE	JS205	4-1/2" ID x 3/4" WIDE	JS214
1-3/4" ID x 5/8" WIDE	JS206	5" ID x 3/4" WIDE	JS215
2" ID x 5/8" WIDE	JS207	6" ID x 3/4" WIDE	JS216
2-1/4" ID x 5/8" WIDE	JS208	6-1/2" ID x 3/4" WIDE	JS217
2-1/2" ID x 5/8" WIDE	JS209	7" ID x 3/4" WIDE	JS218
2-3/4" ID x 3/4" WIDE	JS210	8" ID x 3/4" WIDE	JS219
3" ID x 3/4" WIDE	JS211	BANDED JR. TOOL	C002
		GRIP CLAMP TOOL	GRIP CLAMP TOOL



BANDED JR. TOOL



GRIP CLAMP TOOL

ULTRA LOK® CLAMPS

SIZE*	201 STAINLESS PART #
5" ID x 3/4" WIDE	UL215
7" ID x 3/4" WIDE	UL218
9" ID x 3/4" WIDE	UL228
CORDLESS TOOL	UL4000-D

** Call for additional sizes.*



CORDLESS TOOL

BAND AND BUCKLE

SIZE	STAINLESS BAND PART #	STAINLESS BUCKLE PART #
1/2" WIDE x 100 FT.	C204	C254
5/8" WIDE x 100 FT.	C205	C255
3/4" WIDE x 100 FT.	C206	C256
WING-NUT TOOL	C001	



BAND



BUCKLE



WING-NUT TOOL

CONTINENTAL ALLCRETE TEXTILE CONCRETE PUMP HOSE ASSEMBLIES
Premium Grade 1233 PSI

MALE NPT PIPE ENDS			PART #
1-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	CP 1-1/2X50IPT
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	CP 2X50IPT
2-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	CP 2-1/2X50IPT
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	CP 3X50IPT
VICTAULIC GROOVED ENDS			PART #
1-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	CP 1-1/2X50VIC
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	CP 2X50VIC
2-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	CP 2-1/2X50VIC
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	CP 3X50VIC
HEAVY DUTY FLANGED ENDS			PART #
1-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	CP 1-1/2X50HD
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	CP 2X50HD
2-1/2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	CP 2-1/2X50HD
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	CP 3X50HD
2"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CP 2X50AHD
3"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CP 3X50AHD
4"	x 10 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CP 4X10AHD
4"	x 25 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CP 4X25AHD
4"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CP 4X50AHD



CONTINENTAL PGC TEXTILE CONCRETE PUMP HOSE ASSEMBLIES
Standard Grade 1233 PSI

MALE NPT PIPE ENDS			PART #
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	PGC 2X50IPT
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW MALE NPT ENDS	PGC 3X50IPT
VICTUALIC GROOVED ENDS			PART #
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	PGC 2X50VIC
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW VICTAULIC ENDS	PGC 3X50VIC
HEAVY DUTY FLANGED ENDS			PART #
2"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	PGC 2X50HD
3"	x 50 FT.	INTERNAL EXPANSION FULL FLOW HEAVY DUTY ENDS	PGC 3X50HD
2"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	PGC 2X50AHD
3"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	PGC 3X50AHD
4"	x 10 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	PGC 4X10AHD
4"	x 25 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	PGC 4X25AHD
4"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	PGC 4X50AHD



WIRE-REINFORCED CONCRETE PUMP HOSE ASSEMBLIES
1230 PSI

CRIMPED HEAT TREATED HEAVY DUTY FLANGED ENDS			PART #
2"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CPW 2X50AHD
3"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CPW 3X50AHD
4"	x 10 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CPW 4X10AHD
4"	x 25 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CPW 4X25AHD
4"	x 50 FT.	CRIMPED HEAT TREATED HEAVY DUTY ENDS	CPW 4X50AHD



CONCRETE PUMP HEAVY DUTY CLAMPS	PART #
2" HINGED STYLE CLAMP	IXHC200
3" HINGED STYLE CLAMP	IXHC300
4" HINGED STYLE CLAMP	IXHC400




HEAVY DUTY CLAMP GASKETS	PART #
2" REPLACEMENT GASKET	IXHCG200
3" REPLACEMENT GASKET	IXHCG300
4" REPLACEMENT GASKET	IXHCG400



CONTINENTAL HYDRAULIC HOSE

XR16SC HIGH ABRASION 2-WIRE HYDRAULIC HOSE		WORKING PRESSURE RATINGS	PART #
1/4"	EXTENDED LIFE COVER	5800 PSI	XR16SC-04
3/8"	EXTENDED LIFE COVER	5000 PSI	XR16SC-06
1/2"	EXTENDED LIFE COVER	5000 PSI	XR16SC-08
3/4"	EXTENDED LIFE COVER	3500 PSI	XR16SC-12
1"	EXTENDED LIFE COVER	3000 PSI	XR16SC-16



XCP4S HIGH ABRASION, HIGH PRESSURE HYDRAULIC HOSE		WORKING PRESSURE RATINGS	PART #
3/4"	EXTENDED LIFE COVER	4100 PSI	XCP4S-12
1"	EXTENDED LIFE COVER	4100 PSI	XCP4S-16
1-1/4"	EXTENDED LIFE COVER	4100 PSI	XCP4S-20
1-1/2"	EXTENDED LIFE COVER	4100 PSI	XCP4S-24
2"	EXTENDED LIFE COVER	4100 PSI	XCP4S-32



XCP5S HIGH ABRASION, VERY HIGH PRESSURE HYDRAULIC HOSE		WORKING PRESSURE RATINGS	PART #
3/4"	EXTENDED LIFE COVER	5100 PSI	XCP5S-12
1"	EXTENDED LIFE COVER	5100 PSI	XCP5S-16
1-1/4"	EXTENDED LIFE COVER	5100 PSI	XCP5S-20
1-1/2"	EXTENDED LIFE COVER	5100 PSI	XCP5S-24
2"	EXTENDED LIFE COVER	5100 PSI	XCP5S-32



HOSE ENDS, COUPLINGS AND ADAPTERS



MALE NPT



THREADED BRASS WING-NUT COUPLINGS



FEMALE JIC FLARE



THREADED STEEL HIGH PRESSURE COUPLINGS



MALE JIC UNION

HYDRAULIC ACCESSORIES



HYD OIL 32 WEIGHT
5 GALLON PAILS ONLY
CUIAW32-5



HYD OIL 68 WEIGHT
5 GALLON PAILS ONLY
CUIAW68-5



OIL ABSORBENT PADS
SOLD IN PACKS OF 100
PB190D

CONTINENTAL AIR HOSE ASSEMBLIES AND KING COUPLINGS

CONTRACTOR AIR HOSE—STANDARD	PART #
3/4" x 50 FT. RED 300 PSI STANDARD GRADE. CONTINENTAL JACKHAMMER AIR HOSE. CRIMPED WITH AIR KING COUPLINGS. MADE IN USA.	3/4X50FT. CONTRACTOR AIR



CONTRACTOR AIR HOSE—PREMIUM	PART #
3/4" x 50 FT. YELLOW 300 PSI PREMIUM GRADE. CONTINENTAL FRONTIER JACKHAMMER AIR HOSE BANDED WITH AIR KING COUPLINGS. MADE IN USA.	A.3450AK-Y300



AIR KING UNIVERSAL		PART #
1/2"	MALE NPT	AM2
3/4"	MALE NPT	AM7
1"	MALE NPT	AM12
1/2"	FEMALE NPT	AM3
3/4"	FEMALE NPT	AM8
1"	FEMALE NPT	AM13
N/A	TRIPLE UNION CONNECTOR	AM10
25 Pack	SAFETY CLIPS	AC1
50 Pack	HOSE GASKETS	AWR4



**MALE
NPT**




**FEMALE
NPT**



**TRIPLE UNION
CONNECTOR**



SAFETY CLIP



HOSE GASKET

SHOP AIR HOSE	PART #
3/8" x 50 FT. RED 200 PSI CONTINENTAL FRONTIER AIR HOSE WITH 1/4" MALE NPT ENDS. MADE IN USA.	A.3850MP
3/8" x 50 FT. RED 200 PSI CONTINENTAL AIR HOSE WITH 1/4" MALE NPT ENDS AND QUICK DISCONNECTS. MADE IN USA.	A.3850MP.QD



**WITHOUT QUICK
DISCONNECTS**



**WITH QUICK
DISCONNECTS**

SHOP AIR HOSE QUICK DISCONNECTS	PART #
1/4" FEMALE QUICK DISCONNECT SOCKET x FEMALE PIPE	3003
1/4" MALE QUICK DISCONNECT SOCKET x FEMALE PIPE	11-3
1/4" MALE QUICK DISCONNECT SOCKET x MALE PIPE	10-3



3003



11-3



10-3

WIRE-BRAID AIR HOSE, HOSE ENDS AND ACCESSORIES

WIRE-BRAID REINFORCED AIR HOSE	PART #
2" 600 PSI WIRE REINFORCED AIR HOSE. *Available in bulk 50 Ft. rolls or as assemblies.	HAWB2
3" 600 PSI WIRE REINFORCED AIR HOSE. *Available in bulk 50 Ft. rolls or as assemblies.	HAWB3



GROUND JOINT FITTINGS AND CLAMPS		PART #
2"	GROUND JOINT SET WITH FEMALE SPUD	GF81
3"	GROUND JOINT SET WITH FEMALE SPUD	GF111
2"	MALE STEM	MS26
3"	MALE STEM	MS36
2"	FEMALE SPUD	GB28
3"	FEMALE SPUD	GB38
2"	DOUBLE SPUD	GDB28
3"	DOUBLE SPUD	GDB38
2"	BOSS 4-BOLT CLAMP Range: 2-32/64" to 2-50/64"	BU29
2"	BOSS 4-BOLT CLAMP Range: 2-48/64" to 3-4/64"	B29
2"	BOSS 4-BOLT CLAMP Range: 3-6/64" to 3-28/64"	B30
3"	BOSS 4-BOLT CLAMP Range: 3-32/64" to 3-60/64"	BU35
3"	BOSS 4-BOLT CLAMP Range: 3-52/64" to 4-4/64"	B35



GROUND JOINT SET WITH FEMALE SPUD



MALE STEM



FEMALE SPUD



DOUBLE SPUD



BOSS 4-BOLT CLAMP

TECHNICAL NOTE:

- Always tighten bolts to their specified torque value.
- Periodic re-tightening of bolts is required due to "cold flow" phenomenon present in all rubber hoses.
- Contact Amazon Hose for specified torque values and manufacturer's recommended re-tightening schedule.

WHIP CHECK SAFETY CABLES			
CABLE SIZE	HOSE ID RANGE	TYPE	PART #
1/8" x 20-1/4"	1/2" through 1-1/4"	HOSE TO HOSE	WB1
3/16" x 28"	1/2" through 2"	HOSE TO HOSE	WB3
1/4" x 38"	1-1/2" through 3"	HOSE TO HOSE	WA2
1/8" x 20-1/4"	1/2" through 1-1/4"	HOSE TO TOOL	WSR1
3/16" x 28"	1/2" through 2"	HOSE TO TOOL	WSR3
1/4" x 38"	1-1/2" through 3"	HOSE TO TOOL	WSR2



HOSE TO HOSE



HOSE TO TOOL

PRESSURE WASHER WASHDOWN HOSE ASSEMBLIES

PRESSURE WASHER HOSES	PART #
3/8" x 50 FT. 4000 PSI W/ 3/8" MALE NPT ENDS	PW-06X50FT.
3/8" x 100 FT. 4000 PSI W/ 3/8" MALE NPT ENDS	PW-06X100FT.
3/8" x 50 FT. 4000 PSI W/ 3/8" MALE NPT ENDS W/QUICK DISCONNECTS	PW-06X50FT.QD
3/8" x 100 FT. 4000 PSI W/ 3/8" MALE NPT ENDS W/QUICK DISCONNECTS	PW-06X100FT.QD
3/8" x 50 FT. 4000 PSI W/3/8 MALE NPT ENDS W/QUICK DISCONNECTS	3/8X50FT.PWGY W/QD'S



WITHOUT QUICK DISCONNECTS



WITH QUICK DISCONNECTS



NON-MARKING WITH QUICK DISCONNECTS

PRESSURE WASHER ACCESSORIES	PART #
GUN ONLY	SG-920
3 FT. WAND	PW/WAND 36
4 FT. WAND	PW/WAND 48
1/4" FEMALE QUICK	25FS
3/8" FEMALE QUICK	38FS
3/8" MALE QUICK DISCONNECT x	38MP
3/8" MALE QUICK DISCONNECT x	38FP
REPLACEMENT O-RING FOR 1/4"	OR110B90
REPLACEMENT O-RING FOR 3/8"	OR112B90
QUICK DISCONNECT SPRAY TIPS (0°, 15°, 25° AND 40° DEGREE SPRAY PATTERN)	0° T1745-0055
	15° T1745-1555
	25° T1745-2555
	40° T1745-4055



GUN AND WAND SOLD SEPERATELY



FEMALE QUICK DISCONNECT



MALE QUICK DISCONNECT



0°



15°



25°



40°

CONTINENTAL FRONTIER WATER HOSES AND ACCESSORIES	PART #
3/4" x 50 FT. HEAVY DUTY BLACK CONTINENTAL FRONTIER WATER HOSE COUPLED. MADE IN USA.	WD.7550GHT
3/4" x 100 FT. HEAVY DUTY BLACK CONTINENTAL FRONTIER WATER HOSE COUPLED. MADE IN USA.	WD.75100GHT
INSULATED GARDEN HOSE NOZZLE	572TFR
RUBBER GARDEN HOSE WASHERS	GH-W



SALES POLICY

Terms

Net 30 day terms are available for accounts approved by our credit department. We reserve the right to withhold shipment to accounts with unpaid balances exceeding 30 days, or, alternatively, to require C.O.D. payment for new purchases until such time as the account is no longer delinquent and credit is reapproved.

Freight

All shipments are F.O.B. Amazon Hose & Rubber Warehouses.

Prices

All prices are subjected to change without notice.

Taxes

Applicable sales taxes will be applied on all orders, unless we have customer's exemption certificate on file.

ALL CREDIT TO BE ISSUED AGAINST DEFECTIVE MATERIAL MUST BE AUTHORIZED BY THE MANUFACTURER.

Returned Goods

All merchandise is guaranteed against defects in material and workmanship. Merchandise believed to be defective requires a return authorization form and must be returned prepaid. Freight charges will be refunded if credit is allowed against warranty. Prior approval is required before any merchandise can be returned. Return of non-defective material, or material ordered incorrectly, will be subject to a 25% restocking charge. Cut and/or assembled hose ordered incorrectly **may not** be returned.

Cancellations

On stock material not yet in process, no cancellation charge will apply. On stock material that is in process, a cancellation charge of 25% will be applied. Orders for special or non-stock materials cannot be cancelled.

Technical Data

Various tables and charts may be found on our website www.AmazonHose.com. We offer these as guides and assume no responsibility for their accuracy, as manufacturers may change their specifications without notice.

Special Orders

We require a 50% deposit on all special or non-stock product orders. This payment must be received by Amazon Hose prior to placing the order with our manufacturers.

To apply for credit or open an account, go to www.amazonhose.com/resources/credit-app.

**WE TRAIN OUR
EMPLOYEES TO
BE EXPERTS.**

NOT ORDER TAKERS.

Every front-line Amazon employee must complete NAHAD Safety Training as well as extensive internal training. These programs teach the fundamental qualities of all our products and prepare employees to fulfill every order effectively.

So whether they're answering the phone, working the counter in our AmaZONE in-person service center, or measuring and finishing hoses for custom orders, all employees understand the products they're working with and can provide knowledgeable service at every point in the process.

S

SIZE

INSIDE DIAMETER, LENGTH, OUTSIDE DIAMETER

T

TEMPERATURE

INTERNAL AND EXTERNAL, NORMAL, MINIMUM AND MAXIMUM

A

APPLICATION

WHAT IS THE HOSE SUPPOSED TO DO ON THE EQUIPMENT

M

MATERIAL

WHAT PRODUCT IS BEING CONVEYED

P

PRESSURE

NORMAL WORKING PRESSURE, BURST PRESSURE

E

ENDS

NECESSARY COUPLINGS, TYPE, SIZE AND THREAD

D

DELIVERY

WHEN AND WHERE ARE PRODUCTS NEEDED



/AmazonHose



@Amazon_Hose



2018©

ORLANDO

4105 Seaboard Rd.
Orlando, FL 32808
(407) 843-8190
(800) 506-5514
Fax: (407) 422-5577

OrlandoSales@AmazonHose.com

SOUTH ORLANDO

9961 Sidney Hayes Rd.
Orlando, FL 32824
(407) 843-8190
(800) 506-5514
Fax: (407) 422-5577

OrlandoHSCSales@AmazonHose.com

TAMPA

1103 N. 50th St.
Tampa, FL 33619
(813) 223-7554
(800) 664-9490
Fax: (813) 223-7567

TampaSales@AmazonHose.com

MIAMI

1001 N.W. 159th Dr.
Miami Gardens, FL 33169
(305) 620-4313
(800) 731-0025
Fax: (305) 356-7308

MiamiSales@AmazonHose.com

www.AmazonHose.com ▪ Shop.AmazonHose.com